



Die cutters
Guillotines
Drilling machines,
Handling equipment...

tcz@cauhe.es
www.cauhe.es



**GUILLOTINAS HIDRÁULICAS Y
EQUIPOS DE MANIPULACIÓN**

**HYDRAULIC GUILLOTINES
AND HANDLING EQUIPMENT**

Model GH
Heavy duty construction

**Оборудование загрузки и разгрузки
для быстрорезальных машин**



Model GL
Light construction


CAUHÉ

Las guillotinas **CAUHÉ** de corte hidráulico se fabrican con bancada reforzada y doble biela de tiro, lo que garantiza potencia y exactitud de corte. Para satisfacer las necesidades de nuestros clientes, se fabrica en diversos tamaños una serie ligera y una serie pesada que pueden incrementar la producción con diversos tipos de cargadores y descargadores automáticos y semiautomáticos de material.

La mesa dispone de toberas de aire a presión que facilita el movimiento del material a cortar y la escuadra es accionada por doble husillo con patines-guía para asegurar un posicionamiento exacto. El programador automático de corte, de fácil manejo, permite una gran variedad de posibilidades al operario.



CAUHÉ hydraulic guillotines are manufactured with re-enforced main body and double pulling arm which guarantee power and cutting exactness. To satisfy all our customers needs we make various sizes in a light duty version and a heavy duty version that can increase production with various different types of material loaders and unloaders fully automatic or semiautomatic. The table includes air pressure valves to make the material easy to handle and the backgauge is operated by double leadscrew with guide skates to assure exactness positioning. The automatic cutting program of easy operation, offers a wide range of job possibilities to the operator.



Cargador y descargador automático.
Fully automatic loading and unloading system.



Alta velocidad de posicionamiento de la escuadra
High speed positioning backgauge



Botonera de mandos móvil
Movable controls



Escuadras laterales abatibles para cargar y descargar
Retractable side gauges for loading and unloading



DOUBLE PULL ACTION HYDRAULIC PAPER CUTTER SERIES GH AND GL

MODEL	GH170	GH200	GH260	GH320	GH366	GH380	GH420	
Maximum cutting size (mm)	1,700	2,000	2,600	3,200	3,660	3,800	4,200	
Maximum cutting height (mm)	160							
Maximum cutting length (mm)	1,700	2,000	2,600	3,200	3,660	3,800	4,200	
Cycles per minut	22							
Minimum cut with plate on the paper clamp (mm)	145							
Adjustable pressure (kg)	400-7,000							
Number of blades	2							
Net weight (kg)	7,000	10,000	12,000	15,000	18,000	19,000	22,000	
Power (kw)	7.5						11	15

MODEL	GL170	GL200	GL260	GL320	GL366	GL380	GL420	
Maximum cutting size (mm)	1,700	2,000	2,600	3,200	3,660	3,800	4,200	
Maximum cutting height (mm)	160							
Maximum cutting length (mm)	1,700	2,000	2,600	3,200	3,660	3,800	4,200	
Cycles per minut	22							
Minimum cut with plate on the paper clamp (mm)	80							
Adjustable pressure (kg)	400-4,000							
Number of blades	2							
Net weight (kg)	4,000	6,000	7,000	8,000	10,000	11,000	12,000	
Power (kw)	5						7.5	10



Fabricación de otros modelos bajo demanda.
Any other model can be manufactured upon demand.